

To: Sandoval, Joni[Sandoval.Joni@epa.gov]
From: West, John
Sent: Fri 8/7/2015 5:02:20 PM
Subject: Re: 4th Street report and budget

Morning Joni,

Sorry I didn't reply right away. I got pulled into the Gold King ER. I had sent that draft to you

Nonresponsive

John

Sent from my iPad

On Aug 6, 2015, at 15:38, Sandoval, Joni <Sandoval.Joni@epa.gov> wrote:

Nonresponsive

From: West, John [<mailto:John.West@WestonSolutions.com>]
Sent: Thursday, July 16, 2015 11:14 AM
To: Nguyen, Tien; Sandoval, Joni
Cc: Robinson, David
Subject: 4th Street report and budget

Morning Tien and Joni,

Nonresponsive

Nonresponsive

John West, PE CHMM PMP | Project Engineer | US EPA START Contractor |

Weston Solutions, Inc. | 1435 Garrison Street, Suite 100, Lakewood, CO 80215 |

John.West@westonsolutions.com | O: 303-729-6148 | M: 303-748-3304 |

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.